



RZ |  LEXUS

Issued on: 2026/08/05



SPECIFICATIONS

	RZ 600e F SPORT	RZ 550e F SPORT	RZ 500e EX	RZ 500e SE
Engine and Drivetrain				
Electric Motor Power (kW)	313	300	280	280
Fuel System	Battery Electric	Battery Electric	Battery Electric	Battery Electric
Front Motor Torque (Nm)	268.6	268.6	268.6	268.6
Rear Motor Torque (Nm)	268.6	268.6	268.6	268.6
0-100 (sec)	4.4	4.4	4.6	4.6
Range and Charging				
Approx. Charging time: Emergency (AC) (0-80%)	2.3kW 35hrs.	2.3kW 35hrs.	2.3kW 35hrs.	2.3kW 35hrs.
Approx. Charging time: Public (AC) (0-80%)	3 Phase 22kW 3h30min.	3 Phase 22kW 3h30min.	3 Phase 22kW 3h30min.	3 Phase 22kW 3h30min.
Approx. Charging time: Public (DC) (0-80%)	150kW 30min.	150kW 30min.	150kW 30min.	150kW 30min.
Battery Capacity (kWh)	76.9	76.9	74.6	74.6
Battery Type	Lithium-Ion	Lithium-Ion	Lithium-Ion	Lithium-Ion
Charging Cable (AC)	Standard Emergency Charger (Mode 2), Public Charger (Mode 3)	Standard Emergency Charger (Mode 2), Public Charger (Mode 3)	Standard Emergency Charger (Mode 2), Public Charger (Mode 3)	Standard Emergency Charger (Mode 2), Public Charger (Mode 3)
Connector Type	AC-Type 2, DC-CCS 2	AC-Type 2, DC-CCS 2	AC-Type 2, DC-CCS 2	AC-Type 2, DC-CCS 2
EV Range (KM)	420	450	500	456
Transmission				
Driven Wheels	AWD DIRECT4	AWD DIRECT4	AWD DIRECT4	AWD DIRECT4
Starting System	Push Start	Push Start	Push Start	Push Start
Paddle Shift	▪	▪	▪	▪
Suspension				
Front	MacPherson	MacPherson	MacPherson	MacPherson
Rear	Wishbone	Wishbone	Wishbone	Wishbone
Wheels and Tyres				
Spare Wheel	Without (Repair Kit Included)	Without (Repair Kit Included)	Without (Repair Kit Included)	Without (Repair Kit Included)
Tyre Size	F:255-40 R21 R:295-35 R21	F:235-50 R20 R:255-45 R20	F:235-60 R18 R:255-55 R18	F:235-50 R20 R:255-45 R20
Body and Styling				
Back Glass	Privacy, UV cut	Privacy, UV cut	Privacy, UV cut	Privacy, UV cut
Cornering lamp	▪	▪		▪
Daytime Running Light	Standard LED	Standard LED	Standard LED	Standard LED
Door Outside Handles	Black - -	Black - -	Black - -	Black - -
Front Bumper	Painted	Painted	Painted	Painted
Front Grille	Colour	Colour	Colour	Colour
Front Window Wiper	Auto, Rainsensing	Auto, Rainsensing	Auto, Rainsensing	Auto, Rainsensing
Front side Glass	UV cut, Green, Acoustic, Water Repellent	UV cut, Green, Acoustic, Water Repellent	UV cut, Green, Acoustic, Water Repellent	UV cut, Green, Acoustic, Water Repellent
Headlamp Levelling	Standard Dynamic	Standard Dynamic	Standard Manual	Standard Dynamic
Headlamps Cleaner	▪	▪	▪	▪
Headlights	LED - Adaptive High-beam System (AHS)	LED - Adaptive High-beam System (AHS)	LED - Auto High Beam	LED - Adaptive High-beam System (AHS)

	RZ 600e F SPORT	RZ 550e F SPORT	RZ 500e EX	RZ 500e SE
Body and Styling				
Light Control System	Autocut	Autocut	Autocut	Autocut
Luggage Boot / Rear Door	Standard Power	Standard Power and Handsfree	Standard Power and Handsfree	Standard Power and Handsfree
Rear Bumper	Track	F SPORT	Black	Painted
Rear Lights	LED	LED	LED	LED
Rear side Glass	Privacy, UV cut, Acoustic	Privacy, UV cut, Acoustic	Privacy, UV cut, Acoustic	Privacy, UV cut, Acoustic
Side mirrors	Black, Auto-Retractable, Electrochromatic, Memory, Blind Spot Monitor (BSM), Heated, Reverse-linked Tilt, Panoramic View Monitor (PVM), Infrared (IR)	Black, Auto-Retractable, Electrochromatic, Memory, Blind Spot Monitor (BSM), Heated, Reverse-linked Tilt, Panoramic View Monitor (PVM), Infrared (IR)	Black, Auto-Retractable, Electrochromatic, Memory, Blind Spot Monitor (BSM), Heated, Reverse-linked Tilt, Panoramic View Monitor (PVM), Infrared (IR)	Black, Auto-Retractable, Electrochromatic, Memory, Blind Spot Monitor (BSM), Heated, Reverse-linked Tilt, Panoramic View Monitor (PVM), Infrared (IR)
Rear Spoiler	Standard Track	Standard F SPORT	▪	▪
Roof Rails			▪	
Interior, Comfort and Convenience				
2nd Row Seats	60:40	60:40	60:40	60:40
Cupholders	Standard 4	Standard 4	Standard 4	Standard 4
Door Scuff Plate	Standard FR Stainless Steel RR Resin	Standard FR Stainless Steel RR Resin	Standard FR Stainless Steel RR Resin	Standard FR Stainless Steel RR Resin
Floor Carpet Trim	Carpet	Carpet	Carpet	Carpet
Front Headrest	Adjustable	Adjustable	Adjustable	Adjustable
Front Personal Lamp	▪	▪	▪	▪
Key Reminder Warning	Standard Buzzer	Standard Buzzer	Standard Buzzer	Standard Buzzer
Meter Illumination Control	▪	▪	▪	▪
Overhead Console	Standard	Standard	Standard	Standard
Rear View Mirror	Digital	Digital	Digital	Digital
Seat Trim	Ultra-Suede F SPORT	Ultra-Suede F SPORT	Synthetic Leather	Ultra-Suede
Shift Lever & Knob	Dial Shift-By-Wire With Integrated Parking	Dial Shift-By-Wire With Integrated Parking	Dial Shift-By-Wire With Integrated Parking	Dial Shift-By-Wire With Integrated Parking
Speedometer	Digital	Digital	Digital	Digital
Steering Wheel	Steer-By-Wire F SPORT Synthetic Leather + Heater	Steer-By-Wire F SPORT Synthetic Leather + Heater	3 Spoke Synthetic Leather + Heater	3 Spoke Synthetic Leather + Heater
Airconditioner	Auto Dual zone, Humidity Sensor	Auto Dual zone, Humidity Sensor	Auto Dual zone, Humidity Sensor	Auto Dual zone, Humidity Sensor
Android Auto & Apple CarPlay	▪	▪	▪	▪
Audio System	Mark Levinson EMV	Mark Levinson EMV	Lexus Premium EMV	Mark Levinson EMV
Bluetooth	▪	▪	▪	▪
Cruise Control	Standard Adaptive, All Speed	Standard Adaptive, All Speed	Standard Adaptive, All Speed	Standard Adaptive, All Speed
Electric Windows	All All One Touch	All All One Touch	All All One Touch	All All One Touch
Front Armrest	▪	▪	▪	▪
Front Seat Vertical Adjuster	Driver + Passenger Power/ Driver Memory	Driver + Passenger Power/ Driver Memory	Driver + Passenger Power/ Driver Memory	Driver + Passenger Power/ Driver Memory
Lexus Connect Enabled	▪	▪	▪	▪

RZ 600e F SPORT

RZ 550e F SPORT

RZ 500e EX

RZ 500e SE

Interior, Comfort and Convenience

Multi-Information Display	Standard TFT	Standard TFT	Standard TFT	Standard TFT
Navigation System	Standard EMV	Standard EMV	Standard EMV	Standard EMV
Power Socket	Front - 12V / Console - 12V / Deck - 12V	Front - 12V / Console - 12V / Deck - 12V	Front - 12V / Console - 12V / Deck - 12V	Front - 12V / Console - 12V / Deck - 12V
Power Steering	Steer-By-Wire	Steer-By-Wire	Electric / (EPS)	Electric / (EPS)
Rear Armrest	▪	▪	▪	▪
Reverse Camera	EMV/ Panoramic View Monitor	EMV/ Panoramic View Monitor	EMV/ Panoramic View Monitor	EMV/ Panoramic View Monitor
Seat Heater	Standard Front and Rear, + Front Radiation	Standard Front and Rear, + Front Radiation	Standard Front	Standard Front and Rear, + Front Radiation
Seat Lumbar Support	Driver 2-way, Power	Driver 2-way, Power	Driver 2-way, Power	Driver 2-way, Power
Seat Ventilation	Standard Driver + Passenger	Standard Driver + Passenger	Standard Driver + Passenger	Standard Driver + Passenger
Speakers	Standard 13	Standard 13	Standard 10	Standard 13
Steering Column Adjustments	Power	Power	Power Tilt & Telescopic	Power Tilt & Telescopic
Steering Switches	Standard Audio, Info Display, Adaptive Cruise Control, Lane Trace Assist	Standard Audio, Info Display, Adaptive Cruise Control, Lane Trace Assist	Standard Audio, Telephone, Info Display, Adaptive Cruise Control, Lane Trace Assist	Standard Audio, Telephone, Info Display, Adaptive Cruise Control, Lane Trace Assist
Sun Visor	Standard Mirror with Cover, Ticket Holder Driver + Passenger	Standard Mirror with Cover, Ticket Holder Driver + Passenger	Standard Mirror with Cover, Ticket Holder Driver + Passenger	Standard Mirror with Cover, Ticket Holder Driver + Passenger
USB Type C	Standard 5PCs	Standard 5PCs	Standard 5PCs	Standard 5PCs
Wireless Charger	▪	▪	▪	▪

Safety and Security

Airbags	Knee, Curtain, Driver, Passenger, Front Side	Knee, Curtain, Driver, Passenger, Front Side	Knee, Curtain, Driver, Passenger, Front Side	Knee, Curtain, Driver, Passenger, Front Side
Anti-Theft System	Siren Intrusion Sensor / Glass Break Sensor / Tilt Sensor	Siren Intrusion Sensor / Glass Break Sensor / Tilt Sensor	Siren Intrusion Sensor / Glass Break Sensor / Tilt Sensor	Siren Intrusion Sensor / Glass Break Sensor / Tilt Sensor
Auto Door Lock	Standard Speed Dependent	Standard Speed Dependent	Standard Speed Dependent	Standard Speed Dependent
Child Lock	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door
Child Restraint System (ISOFIX)	Standard 2	Standard 2	Standard 2	Standard 2
Emergency Brake Signal	▪	▪	▪	▪
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Front Seat Belts	Pretensioner, Force Limiter, Tension Reducer	Pretensioner, Force Limiter, Tension Reducer	Pretensioner, Force Limiter, Tension Reducer	Pretensioner, Force Limiter, Tension Reducer
Lexus Safety Sense	▪	▪	▪	▪
Parking Brake	Electric	Electric	Electric	Electric
Power Door Lock	Standard	Standard	Standard	Standard
Pre-Crash System (Brake Synchronised)	▪	▪	▪	▪
Rear Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Seat Belts	Standard ELR, Pretensioner, Force Limiter	Standard ELR, Pretensioner, Force Limiter	Standard ELR, Pretensioner, Force Limiter	Standard ELR, Pretensioner, Force Limiter
Seat Belt Warning	Front + Rear Buzzer + Light	Front + Rear Buzzer + Light	Front + Rear Buzzer + Light	Front + Rear Buzzer + Light
Wireless Door Lock	Standard Smart Entry	Standard Smart Entry	Standard Smart Entry	Standard Smart Entry



SPECIFICATIONS

	RZ 600e F SPORT	RZ 550e F SPORT	RZ 500e EX	RZ 500e SE
Driver Support Systems				
Active Cornering Assist (ACA)	▪	▪	▪	▪
Anti-Lock Braking System (ABS)	▪	▪	▪	▪
Blind Spot Monitor (BSM)	Standard With Rear Cross Traffic Alert, Safe Exit Assist	Standard With Rear Cross Traffic Alert, Safe Exit Assist	Standard With Rear Cross Traffic Alert, Safe Exit Assist	Standard With Rear Cross Traffic Alert, Safe Exit Assist
Brake Assist (BA)	▪	▪	▪	▪
Drive Mode Select	Standard Eco / Normal / Sport / Range	Standard Eco / Normal / Sport / Range	Standard Eco / Normal / Sport / Range	Standard Eco / Normal / Sport / Range
Electronic Brake Force Distribution (EBD)	▪	▪	▪	▪
Hill Assist Control (HAC)	▪	▪	▪	▪
Lane Keeping System	Standard Lane Trace Assist	Standard Lane Trace Assist	Standard Lane Trace Assist	Standard Lane Trace Assist
Park Distance Control	Standard Front + Rear, Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking	Standard Front + Rear, Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking	Standard Front + Rear, Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking	Standard Front + Rear, Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking
Traction Control (TRC)	Standard,	Standard,	Standard,	Standard,
Trailer Sway Control (TSC)	▪	▪	▪	▪
Tyre Pressure Monitor	▪	▪	▪	▪
Vehicle Stability Control (VSC)	▪	▪	▪	▪
Intelligent Park Assist		▪		▪

Service and Warranty				
EV Battery Warranty	8 years 160 000km	8 years 160 000km	8 years 160 000km	8 years 160 000km
Maintenance Plan	7 years 105, 000km	7 years 105, 000km	7 years 105, 000km	7 years 105, 000km
Service Interval	12 months / 15, 000km	12 months / 15, 000km	12 months / 15, 000km	12 months / 15, 000km
Warranty	7 years / 105, 000km	7 years / 105, 000km	7 years / 105, 000km	7 years / 105, 000km

Dimensions and Capacities				
Front Overhang (mm)	1025	975	975	975
Front Tread (mm)	1667	1614	1614	1614
Gross Combination Mass (GCM)	2640	3390	3390	3390
Gross Vehicle Mass (GVM)	2640	2640	2640	2640
Ground Clearance (mm)	185	200	200	200
Height (mm)	1615	1635	1635	1635
Kerb Weight (kg)	2150-2165	2145-2165	2080-2100	2100-2115
Length (mm)	4860	4805	4805	4805
Luggage Capacity (L)	522	522	522	522
Rear Overhang (mm)	985	980	980	980
Rear Tread (mm)	1678	1636	1636	1636
Towing Capacity - Braked (kg)		750	750	750
Towing Capacity - Unbraked (kg)		750	750	750

RZ 600e F SPORTRZ 550e F SPORTRZ 500e EXRZ 500e SE

Dimensions and Capacities				
Turning circle (tyres, m)	5.8	5.6	5.6	5.6
Wheelbase (mm)	2850	2850	2850	2850
Width (mm)	1965	1895	1895	1895
Top Speed (km/h)	180	180	180	180

EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.


MONOTONE



223 - Graphite Black GF



1L2 - Sonic Iridium



090 - Classic White



1N0 - Neutrino Grey



1L1 - Sonic Chrome



8Z2 - Atomic Blue

BI-TONE



M48 - Neutrino Grey
Bi-Tone



2YF - Sonic Copper
Bi-Tone



M53 - Sonic Iridium
Bi-Tone



2YG - Aether Me Bi-Tone



2YH - Sonic Chrome
Bi-Tone



LEXUS FINANCIAL SERVICES

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

