



GX |  LEXUS

Issued on: 2026/08/05

	Lexus GX 550 Overtrail	Lexus GX 550 Overtrail BT	Lexus GX 550 SE
Engine and Drivetrain			
Adaptive Variable Suspension (AVS)	▪	▪	▪
Bore x Stroke (mm)	85.5x100.0	85.5x100.0	85.5x100.0
Differential Lock	Rear	Rear	
Engine capacity (litre)	3.5	3.5	3.5
Fuel System	Petrol SFI + D-4ST	Petrol SFI + D-4ST	Petrol SFI + D-4ST
Maximum Power (kW @ r/min)	260 @ 4800-5200	260 @ 4800-5200	260 @ 4800-5200
Maximum Torque (Nm @ r/min)	650 @ 2000-3600	650 @ 2000-3600	650 @ 2000-3600
Number of Cylinders and Arrangement	V-Type-6	V-Type-6	V-Type-6
Stabilizer	eKDSS	eKDSS	Front + Rear
Turbo Charger	▪	▪	▪
Fuel Consumption (Combined Cycle) (l/100km)	12.3	12.3	12.3
CO2 Emission (g/km)	279	279	279
0-100 (sec)	7.0	7.0	7.0
Transmission			
Transmission	Automatic-10-speed	Automatic-10-speed	Automatic-10-speed
Driven Wheels	4WD	4WD	4WD
Starting System	Push Start	Push Start	Push Start
Paddle Shift	▪	▪	▪
Suspension			
Front	Double Wishbone	Double Wishbone	Double Wishbone
Rear	Four-Link-with-Coil-Spring	Four-Link-with-Coil-Spring	Four-Link-with-Coil-Spring
Adaptive Variable Suspension (AVS)	▪	▪	▪
Wheels and Tyres			
Spare Wheel	Full 265-70 R18 Aluminum	Full 265-70 R18 Aluminum	Full 265-50 R22 Aluminum
Tyre Size	F:265-70 R18 Aluminum R:265-70 R18 Aluminum	F:265-70 R18 Aluminum R:265-70 R18 Aluminum	F:265-50 R22 Aluminum R:265-50 R22 Aluminum
Spare Wheel Carrier	Under Body	Under Body	Under Body
Body and Styling			
Cornering lamp	▪	▪	▪
Daytime Running Light	Standard LED	Standard LED	Standard LED
Door Outside Handles	Black - -	Black - -	Colour - Coded
Front Bumper	Painted	Painted	Painted
Front Grille	Painted	Painted	Painted
Front Window Wiper	Auto, Rainsensing	Auto, Rainsensing	Auto, Rainsensing
Front side Glass	UV cut, Green	UV cut, Green	UV cut, Green, Water Repellent
Headlamp Levelling	Standard Dynamic	Standard Dynamic	Standard Dynamic

	Lexus GX 550 Overtrail	Lexus GX 550 Overtrail BT	Lexus GX 550 SE
Body and Styling			
Headlamps Cleaner	▪	▪	▪
Headlights	LED - Auto High Beam	LED - Auto High Beam	LED - Adaptive High-beam System (AHS)
Light Control System	Auto Light Control System	Auto Light Control System	Auto Light Control System
Luggage Boot / Rear Door	Standard Power + Hatch	Standard Power + Hatch	Standard Power and Handsfree
Rear Bumper	Painted	Painted	Painted
Rear Fog Lamp	Standard LED	Standard LED	Standard LED
Rear Lights	LED	LED	LED
Rear Window Wiper	Intermittent	Intermittent	Intermittent
Rear side Glass	Privacy, Grey	Privacy, Grey	Privacy, Grey
Side mirrors	Black, Power, Auto-Retractable, Memory, Blind Spot Monitor (BSM), Heated, Camera, Reverse-linked Tilt	Black, Power, Auto-Retractable, Memory, Blind Spot Monitor (BSM), Heated, Camera, Reverse-linked Tilt	Colour Coded, Power, Auto-Retractable, Memory, Blind Spot Monitor (BSM), Heated, Camera, Reverse-linked Tilt
Tow Hook	Standard 3	Standard 3	Standard 2
Rear Spoiler	Standard Roof Spoiler	Standard Roof Spoiler	Standard Roof Spoiler
Side Step	▪	▪	Standard Auto Retractable
Roof Rails	▪	▪	▪
Interior, Comfort and Convenience			
2nd Row Seats	60:40 - Tumble	60:40 - Tumble	60:40 - Tumble
Cupholders	Standard 8	Standard 8	Standard 8
Door Scuff Plate	Standard Resin	Standard Resin	Standard Stainless Steel with Illumination
Floor Carpet Trim	Carpet	Carpet	Carpet
Fridge	▪	▪	▪
Front Headrest	Adjustable	Adjustable	Adjustable
Front Personal Lamp	Standard LED	Standard LED	Standard LED
Key Reminder Warning	▪	▪	▪
Meter Illumination Control	▪	▪	▪
Overhead Console	Standard	Standard	Standard
Rear Headrests	Adjustable	Adjustable	Adjustable
Rear Personal Lamp	Standard LED	Standard LED	Standard LED
Rear View Mirror	Electrochromatic (EC)	Electrochromatic (EC)	Digital
Seat Trim	Synthetic Leather	Synthetic Leather	Semi-Aniline Leather
Shift Lever & Knob	Leather	Leather	Leather
Speedometer	Digital	Digital	Digital
Steering Wheel	3 Spoke Leather	3 Spoke Leather	3 Spoke Leather + Heated



SPECIFICATIONS


	Lexus GX 550 Overtrail	Lexus GX 550 Overtrail BT	Lexus GX 550 SE
Interior, Comfort and Convenience			
3rd Row Seats			Fold-Down-Power
Airconditioner	Auto Dual zone, Nano	Auto Dual zone, Nano	Auto Dual zone, Nano
Audio System	Lexus Premium EMV	Lexus Premium EMV	Mark Levinson EMV
Bluetooth	▪	▪	▪
Cruise Control	Standard Adaptive, All Speed	Standard Adaptive, All Speed	Standard Adaptive, All Speed
Door Courtesy Lamp	Standard LED	Standard LED	Standard LED
Electric Windows	All All One Touch	All All One Touch	All All One Touch
Front Seat Adjustment	Driver & Passenger Power	Driver & Passenger Power	Driver & Passenger Power
Heads Up Display (HUD)	▪	▪	▪
Illuminated Entry	▪	▪	▪
Lexus Connect Enabled	▪	▪	▪
Multi-Information Display	Standard TFT	Standard TFT	Standard TFT
Navigation System	Standard EMV	Standard EMV	Standard EMV
Power Socket	Front - 12V / Boot - 220V	Front - 12V / Boot - 220V	Front - 12V / Boot - 220V
Power Steering	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)
Rear Airconditioner	Auto	Auto	Auto
Rear Armrest	▪	▪	▪
Reverse Camera	EMV/ Multi Terrain Monitor	EMV/ Multi Terrain Monitor	EMV/ Panoramic View Monitor
Seat Heater	Standard Driver and Passenger only	Standard Driver and Passenger only	Standard Driver and Passenger only, Rear Row 1
Seat Lumbar Support	Driver 2-way, Power	Driver 2-way, Power	Driver 2-way, Power Passenger 2-way
Seat Ventilation	Standard Front only	Standard Front only	Standard Front only
Speakers	Standard 10	Standard 10	Standard 21
Steering Column Adjustments	Power Tilt & Telescopic	Power Tilt & Telescopic	Power Tilt & Telescopic
Steering Switches	Standard Audio, Telephone, Info Display, Voice Command, Adaptive Cruise Control, Lane Trace Assist	Standard Audio, Telephone, Info Display, Voice Command, Adaptive Cruise Control, Lane Trace Assist	Standard Audio, Telephone, Info Display, Voice Command, Adaptive Cruise Control, Lane Trace Assist
Sun Visor	Standard Mirror with Cover, Ticket Holder Driver	Standard Mirror with Cover, Ticket Holder Driver	Standard Mirror with Cover, Ticket Holder Driver
USB Type C	Standard 6PCs	Standard 6PCs	Standard 6PCs
Wireless Charger	▪	▪	▪
Rear Sunshade			▪
Seat Massage Function			Message Front
Safety and Security			
Airbags	Curtain, Driver, Passenger, Driver Knee, Front Side, Passenger Knee	Curtain, Driver, Passenger, Driver Knee, Front Side, Passenger Knee	Curtain, Driver, Passenger, Driver Knee, Front Side, Passenger Knee
Anti-Theft System	Siren Alarm / Immobiliser / Intrusion Sensor / Tilt Sensor / Ultra-Wide Band	Siren Alarm / Immobiliser / Intrusion Sensor / Tilt Sensor / Ultra-Wide Band	Siren Alarm / Immobiliser / Intrusion Sensor / Tilt Sensor / Ultra-Wide Band

	Lexus GX 550 Overtrail	Lexus GX 550 Overtrail BT	Lexus GX 550 SE
Safety and Security			
Auto Door Lock	Standard Speed Dependent	Standard Speed Dependent	Standard Speed Dependent
Child Lock	Standard Rear door	Standard Rear door	Standard Rear door
Child Restraint System (ISOFIX)	Standard 2	Standard 2	Standard 2
Emergency Brake Signal	▪	▪	▪
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc
Front Seat Belts	Pretensioner, Force Limiter, Tension Reducer	Pretensioner, Force Limiter, Tension Reducer	Pretensioner, Force Limiter, Tension Reducer
Lexus Safety Sense	▪	▪	▪
Parking Brake	Electric	Electric	Electric
Power Door Lock	Standard	Standard	Standard
Pre-Crash System (Brake Synchronised)	▪	▪	▪
Rear Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Row No.1 Seat Belts	Standard ELR, Pretensioner, Force Limiter	Standard ELR, Pretensioner, Force Limiter	Standard ELR, Pretensioner, Force Limiter
Seat Belt Warning	Front + Rear	Front + Rear	Front + Rear
Wireless Door Lock	Standard Smart Entry	Standard Smart Entry	Standard Smart Entry
Rear Row No.2 Seat Belts			Standard ELR
Driver Support Systems			
Anti-Lock Braking System (ABS)	▪	▪	▪
Blind Spot Monitor (BSM)	Standard Safe Exit Assist	Standard Safe Exit Assist	Standard Safe Exit Assist
Brake Assist (BA)	▪	▪	▪
Crawl Control	▪	▪	
Downhill Assist Control (DAC)	▪	▪	
Drive Mode Select	Standard Eco / Normal / Sport / Sport S+ / Comfort / Custom	Standard Eco / Normal / Sport / Sport S+ / Comfort / Custom	Standard Eco / Normal / Sport / Sport S+ / Comfort / Custom
Electronic Brake Force Distribution (EBD)	▪	▪	▪
Hill Assist Control (HAC)	▪	▪	▪
Lane Keeping System	Standard Lane Trace Assist	Standard Lane Trace Assist	Standard Lane Trace Assist
Multi-Terrain Select (MTS)	▪	▪	
Park Distance Control	Standard Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking	Standard Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking	Standard Intelligent Clearance Sonar, Rear Cross Traffic Alert + Braking
Traction Control (TRC)	Standard,	Standard,	Standard,, Active Traction Control (ATRC)
Trailer Sway Control (TSC)	▪	▪	▪
Tyre Pressure Monitor	▪	▪	▪
Vehicle Stability Control (VSC)	▪	▪	▪
Service and Warranty			
Maintenance Plan	7 years 100,000km	7 years 100,000km	7 years 100,000km

	Lexus GX 550 Overtrail	Lexus GX 550 Overtrail BT	Lexus GX 550 SE
Service and Warranty			
Service Interval	12 months / 10,000km	12 months / 10,000km	12 months / 10,000km
Warranty	7 years / 100,000km	7 years / 100,000km	7 years / 100,000km

Dimensions and Capacities			
Approach Angle (°)	27.0	27.0	27.0
Departure Angle (°)	22.0	22.0	22.0
Front Overhang (mm)	970	970	970
Front Tread (mm)	1687	1687	1667
Fuel Tank Size (L)	80	80	80
Gross Combination Mass (GCM)	6610	6610	6305
Gross Vehicle Mass (GVM)	3110	3110	3175
Ground Clearance (mm)	220	220	220
Height (mm)	1870	1870	1865
Kerb Weight (kg)	2475-2515	2475-2515	2545-2575
Length (mm)	5015	5015	5015
Lugagge Capacity (L)	1063	1063	171
Rear Overhang (mm)	1195	1195	1195
Rear Tread (mm)	1688	1688	1668
Roof Loading Capacity (kg)	100	100	100
Towing Capacity - Braked (kg)	3500	3500	3130
Towing Capacity - Unbraked (kg)	750	750	750
Turning circle (tyres, m)	6.0	6.0	6.0
Wheelbase (mm)	2850	2850	2850
Width (mm)	2000	2000	1980
Top Speed (km/h)	175	175	175

LINE DRAWING





SPECIFICATIONS

EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE



085 - White Quartz



1J7 - Sonic Titanium



1L8 - Titanium Carbide
Gray



223 - Graphite Black GF



6X4 - Terrane Khaki



1H9 - Mercury Grey

BI-TONE



M08 - Desert Moonlight
Bi-Tone



M06 - Titanium Sonic
Bi-Tone



M07 - Titanium Carbide
Bi-Tone



LEXUS FINANCIAL SERVICES

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

